TERRAM Geosynthetics

Choose the original and best



www.terram.com



TERRAM products

TERRAM is the geosynthetics brand leader and has more than 45 years of experience in the industry. Our quality tests and unique manufacturing processes ensure an excellent product, every time.

Technical staff are available to answer your queries – call 01621 874 200 and ask for a technical specialist for the product or application you require.



Geotextiles

Industry-leading geotextiles for separation, filtration, reinforcement, protection and drainage in road and rail applications.

See Page 3



Geocomposites

Our geocomposites are used extensively in construction and civil engineering projects for drainage applications.

See Page 4



Geocells

Honeycomb-shaped 3D confinement systems that can be filled with soil, sand or aggregate for structural embankments, load platforms, slope erosion control or flood protection applications.

See Page 4



Rail Geosynthetics

Solutions tailored to track-bed applications, solving separation, filtration, drainage or reinforcement issues.

See Page 5



Grass Mesh

Effective reinforcement for grassed surfaces subject to pedestrian or vehicular traffic. Applications include overflow car parks and access paths.

See Page 6



Porous Paving Grids

Heavy load-bearing pavement-like gravel or grassed permeable surface for trafficked areas. Suitable for car parking, access roads, paths and use in Sustainable Urban Drainage Systems (SuDS).

See Page 7

To find out more about any of these product ranges, email info@terram.com, or call 01621 874 200.



Industry-leading geotextiles for separation, filtration, reinforcement, protection and drainage in road and rail applications.

Inbitex

	VARIANT	WIDTH	LENGTH	COLOUR	TERRAM Prt No.
	Roll	4.5m	100m	Green	167746
	Frame 16 Rolls	4.5m	100m	Green	167883

Advantage

VARIANT	WIDTH	LENGTH	COLOUR	TERRAM Prt No.
Roll	4.5m	100m	White	167722
Frame 16 Rolls	4.5m	100m	White	167890

Standard Geotextiles

	PRODUCT	WIDTH	LENGTH	COLOUR	TERRAM Prt No.
Marin Marin	T700	4.5m	150m	White	153756
SALAS .	T1000	4.5m	100m	White	167876
	T1000 Frame 16 Rolls	4.5m	100m	White	167869
	T1300	4.5m	100m	White	152025
	T1500	4.5m	100m	White	150434
7年 元	T2000	4.5m	100m	White	149636
	T2000 Frame 9 Rolls	4.5m	100m	White	152131
The Control of the Co	T3000	4.5m	100m	White	150694
	T4000	4.5m	50m	White	150717

Hi-Visibility Geotextile



Geocomposites

Rail Geosynthetics

Our geocomposites are used extensively in construction and civil engineering projects for drainage applications.

	GRADE	WIDTH	LENGTH	TERRAM Prt No.
	1B1	4m	100m	152391
	1B1	2m	100m	152056
1B1	1B1	2m	25m	152407
翻	1C1	2m	100m	153039
101	1C1	2m	25m	153046
B1	B1	2m	25m	153701
	1BZ	4m	100m	161751
1BZ	1BZ	2m	25m	153930



Honeycomb-shaped 3D confinement systems that can be filled with soil, sand or aggregate for structural embankments, load platforms, slope erosion control or flood protection applications.

TERRAM Geocell

	J J I I					
	GRADE	WIDTH	LENGTH	DEPTH	COLOUR	TERRAM Prt No.
	35/10	5m	7m	100mm	Grey	082063
	25/10	5m	7m	100mm	Grey	082094
	35/15	5m	7m	150mm	Grey	082124
	25/15	5m	7m	150mm	Grey	082148
	22/20	6m	3m	200mm	Grey	155668
GEOCELL U-PIN	Size: 100mm	x 550mm x 8mm (dia.			082834

Solutions tailored to track-bed applications, solving separation, filtration, drainage or reinforcement issues.

PW1

PRODUCT	WIDTH	LENGTH	TERRAM Prt No.
PW1	4m	50m	152919
PW1	3.9m	25m	157532
PW1	3.5m	25m	157600
PW1	2m	50m	153725

PW2

PRODUCT	WIDTH	LENGTH	TERRAM Prt No.
PW2	4m	25m	153749
PW2	2m	25m	153732

PW3.1

	PRODUCT	WIDTH	LENGTH	TERRAM Prt No.
	PW3.1	4m	25m	159352
	PW3.1	4m	50m	166282


PW4-LA

	PRODUCT	WIDTH	LENGIH	TERRAM Prt No.
. 25	PW4-LA	3.8m	25m	153435
XX	PW4-LA Frame 4	3.8m	25m	155910
X	Rolls	1.9m	25m	157983

PW9

PRUDUCI	WIUIH	LENGIH	TEKKAWI PIT NO.
PW9	4m	100m	161355
PW9	4m	25m	161430
PW9	3.9m	25m	161447
PW9	3.9m	50m	161409

Hydrotex



Grass Mesh

Porous Paving Grids

Effective reinforcement for grassed surfaces subject to pedestrian or vehicular traffic. Applications include overflow car parks and access paths.


Grassprotecta - Grass Reinforcement Mesh

	GRADE	WIDTH	LENGTH	COLOUR	TERRAM Prt No.
	Lite	1m	10m	Green	168026
2/1/0	Lite	1m	20m	Green	167968
	Lite	2m	10m	Green	167975
	Lite	2m	20m	Green	167630
	Medium	1m	10m	Green	168033
	Medium	1m	20m	Green	167999
	Medium	2m	10m	Green	167982
	Medium	2m	20m	Green	167647
	Heavy	1m	10m	Green	055852
4266	Heavy	2m	10m	Green	057863
	Heavy	2m	20m	Green	055470


Turfprotecta - Turf Reinforcement Mesh

	GRADE	WIDTH	LENGTH	COLOUR	TERRAM Prt No.
	550g/m ²	2m	30m	Green	049202
7777	550g/m ²	2m	30m	Black	009862
	660g/m ²	2m	30m	Green	049967
1-1-1-1	660g/m ²	2m	30m	Black	048175

Grasscarpet



Steel U-Pins



Safety Rubber Mat



Heavy load-bearing pavement-like gravel or grassed permeable surface for trafficked areas. Suitable for car parking, access roads, paths and use in Sustainable Urban Drainage Systems (SuDS).

Bodpave[™]85



Bodpave[™]40

SIZE (mm)	UNIT MEASURE	WEIGHT	COLOUR	LOAD	TERRAM Prt No.
500 x 500 x 40	1 sqm (4 Grids)	4.8kg/m²	Green	150tonnes/m²	113804
500 x 500 x 40	1 sqm (4 Grids)	4.8kg/m²	Black	150tonnes/m²	151516

Truckpave 80

SIZE (mm)	UNIT MEASURE	WEIGHT	COLOUR	LOAD BEARING	TERRAM Prt No.
600 x 400 x 80	Each	9kg	Grey	60 Tonnes (Gross Weight)	143412









Application-specific literature, product data sheets, case studies and installation guides are available on request or can be freely downloaded from **www.terram.com**

Information contained herein is, to the best of our knowledge, accurate in all material respects. However, since the circumstances and conditions in which such information and the products mentioned herein can be used may vary and are beyond our control, no representation or warranty, express or implied, of any nature whatsoever is or will be made and no responsibility or liability is or will be accepted by us, any of our affiliates or our or their respective directors, officers, employees or agents in relation to the accuracy or completeness or use of the information contained herein or of any such products and any such liability is hereby expressly excluded to the maximum extent permitted by law.

TERRAM excels in the innovative application of technology to create versatile, high-performance materials which are unique, cost-efficient and deliver significant added value.

Contact details:

United Kingdom
Tel: +44 (0)1621 874200
Fax: +44 (0)1621 874299
Email: info@terram.com
www.terram.com



